

## Instructions for use Construction Specification 13—Piling

### 1. Applicability

Construction Specification 13 is applicable to the furnishing and installation of timber piles, steel piles, steel sheet piles, precast concrete piles, and shells for cast-in-place piles. It is not applicable to the installation of drilled, cast-in-place piles.

### 2. Material specifications

The following material specifications complement Construction Specification 13:

511—Steel Piles

512—Wood Piles

513—Precast Concrete Piles

514—Cast-in-Place Concrete Piles

Include Construction Specification 31, Concrete for Major Structures, or 32, Structure Concrete, as appropriate, when not included in the contract for other concrete installation.

### 3. Included items

Items to be included in construction specifications and drawings follow:

- a. Plan showing the location of all piles, including test piles, if any.
- b. Foundation profiles and sections showing:
  - (1) Log of borings, including penetration test results
  - (2) Required or estimated pile penetration
  - (3) Cutoff elevations
- c. Required bearing capacities. (**Note:** Specify (1) required bearing capacity or (2) required penetration or (3) required bearing capacity and minimum penetration, as appropriate.)
- d. For timber piles, state the type, class, species and length of piles required. For Type I piles, state where the piles will be inspected. For Type II piles, state the type of treatment and minimum retention of preservative per cubic foot of pile.

- e. Details of precast or cast-in-place concrete piles including dimensions, reinforcement details, class of concrete, size of aggregate, and type of cement and slump required.
- f. Nominal size and weight of section for H-bearing piles.
- g. Authorization to use gravity drop hammers, if appropriate.
- h. Details of load tests that will be required, if appropriate.
- i. Methods of measurement and payment if the standard specification includes more than one method.

### 4. Methods

#### Section 12, Measurement and payment

**Methods 1 and 2**—Intended for use when a considerable number of piles of about the same length are required. Method 1 provides for a single pay item for furnishing and driving piles. Method 2 provides for separate pay items for furnishing piles and driving piles.

**Method 3**—Used when the lengths of piles required are quite variable. It is particularly suitable where the cutoff portions of the piles may be salvaged and used on the job, such as when steel bearing piles are specified.

**Method 4**—Used for sheet pile walls when the required depth of penetration is known.

When specifications are prepared using electronic procedures and all methods but one are deleted for use in the contract specification, delete from the last paragraph, **All Methods The following provisions apply to all methods of measurement and payment.** Left justify the remaining text.

**5. Items of work and construction details**

Starting at the top of page 13-6, prepare and outline job specific "Items of Work and Construction Details" (IWCD) in accordance with these instructions. For ease of utilization, the use of recyclable color paper for the IWCD should be considered.